

本公司致力于技术创新，保留修改技术参数而不预先通知的权利
The company is committed to technological innovation, reserves
the right to modify technical parameters without prior notification

 沃莱机械

创建于1996年!
Established in 1996!





浙江三雄机械股份有限公司
ZHEJIANG SANSHON MACHINERY CO.,LTD
绍兴沃莱食品机械有限公司
SHAOXING WALLEY FOOD MACHINERY CO.,LTD

地址：浙江省绍兴市上虞区梁湖街道百丰大道4号
Add : No.4 Baifeng Highway, Lianghu Subdistrict, Shangyu
District, Shaoxing City, Zhejiang Province, China.
电话：0575-82050227 Tel : +86-575-82050227
Web: www.walley.biz E-mail: info@walley.biz
Web : www.sanshon.com E-mail : info@sanshon.com

A) XJ系列清洗设备 XJ series washing equipment

QXJ-M多用气泡清洗机

QXJ-M multifunctional bubble washing machine



概述:

- 1) 设备用途: 清洗切碎后或短小形的叶类蔬菜, 或者清洗辣椒、西红柿、草莓等树上果产品。特别适用于产品中混杂着杂草、毛发、虫卵漂浮物的产品。
- 2) 处理能力: 500-1500kg/h
- 3) 装机功率: 7.5kw
- 4) 耗用水量: 300kg/h (部分循环使用)
- 5) 外形尺寸: 4450×1400×1630mm

Summary:

- 1) application: this machine is suitable for washing leafy vegetables which are cut or small in shape, and chili, tomato, strawberry and other products on the tree; especially suitable for washing suspended products which are mixed with weed, hair and eggs
- 2) capacity: 500-1500kg/h
- 3) power: 7.5kw
- 4) water consumption: abt 300kg/h (partial circulating use)
- 5) dimension: 4450×1400×1630mm

QXJ-LM带式气泡清洗机

QXJ-LM belt type bubble washing machine



概述:


- 1) 设备用途: 清洗各种条状、颗粒状的蔬菜和水果; 海参、对虾水产品以及各种食用菌、中草药等产品。特别适用于夹杂在产品中的泥沙或漂浮物等杂质的产品。
- 2) 处理能力: 500-1500kg/h
- 3) 装机功率: 4.25kw
- 4) 耗用水量: 400kg/h (部分循环使用)
- 5) 外形尺寸: 4150×1430×1390mm

Summary:

- 1) application: this machine is suitable for washing strip and granular vegetables and fruits; sea cucumber, prawn and other aquatic products; all kinds of edible fungi and Chinese herbs; especially suitable for washing those products which are mixed with mud, sand and flottage and other foreign matters.
- 2) capacity: 500-1500kg/h
- 3) power: 4.25kw
- 4) water consumption: abt 400kg/h (partial circulating use)
- 5) dimension: 4150×1430×1390mm

WXJ涡流清洗机

WXJ eddy flow washing machine



概述:

- 1) 设备用途: 清洗切碎后或短小形蔬菜和水果, 特别适用于清洗如草莓、黑木耳、银耳、地皮菜等鲜嫩, 表面易受损的产品。
- 2) 处理能力: 500-1500kg/h
- 3) 装机功率: 5.15kw
- 4) 耗用水量: 400kg/h (部分循环使用)
- 5) 外形尺寸: 4650×1040×1370mm

Summary:

- 1) application: this machine is suitable for washing cut or small vegetables and fruits; especially suitable for washing delicate and easy-damaged products such as strawberry, black fungus, tremella and nostoc commune and so on.
- 2) capacity: 500-1500kg/h
- 3) power: 5.15kw
- 4) water consumption: abt 400kg/h (partial circulating use)
- 5) dimension: 4650×1040×1370mm

OXJ-A/B滚筒式清洗机

OXJ-A/B rotary drum washing machine



概述:

- 1) 设备用途: 清洗生姜、花生、土豆、芋头、木薯、红薯、葛根、魔芋等根茎类产品。
- 2) 处理能力: 500-1500kg/h
- 3) 装机功率: 3.70kw
- 4) 耗用水量: 500kg/h (部分循环使用)
- 5) 外形尺寸: 4050×1050×1730mm

Summary:

- 1) application: this machine is suitable for washing ginger, peanut, potato, taro, cassava, sweet potato, pueraria, konjac and other rootstock products.
- 2) capacity: 500-1500kg/h
- 3) power: 3.70kw
- 4) water consumption: abt 500kg/h (partial circulating use)
- 5) dimension: 4050×1050×1730mm

PXJ瀑布式清洗机

PXJ riffle washing machine



概述:

- 1) 设备用途: 清洗圆球状的颗粒产品, 对腌渍后的西梅、青梅、话梅等产品, 或红枣、葡萄等干品中带有泥沙等杂质很有清洁效果。
- 2) 处理能力: 600kg/h
- 3) 装机功率: 5.5kw
- 4) 耗用水量: 500kg/h (部分循环使用)
- 5) 外形尺寸: 2400×2300×4000mm

Summary:

- 1) application: this machine is suitable for washing granular products in ball shape, such as pickled prunes, green plums and preserved plums, etc.; it has a good effect in washing dried jujube and raisin which are mixed with mud sand and other debris.
- 2) capacity: 600kg/h
- 3) power: 5.5kw
- 4) water consumption: 500kg/h (partial circulating use)
- 5) dimension: 2400×2300×4000mm

YXJ玉米粒清洗机

YXJ corn kernel washing machine



概述:


- 1) 设备用途: 清洗玉米粒、青豆仁、豌豆仁等产品, 是速冻、罐头生产线中不可缺的清洗去杂设备。
- 2) 处理能力: 1500-2000kg/h
- 3) 装机功率: 9.0kw
- 4) 耗用水量: 3000kg/h (部分循环使用)
- 5) 外形尺寸: 5200×1445×2230mm

Summary:

- 1) application: this machine is suitable for washing corn kernels and pea seeds, etc.; it's an indispensable cleaning machine in freezing line and canning line.
- 2) capacity: 1500-2000kg/h
- 3) power: 9.0kw
- 4) water consumption: 3000kg/h (partial circulating use)
- 5) dimension: 5200×1445×2230mm

HXJ-10G胡萝卜清洗/磨皮机

HXJ-10G carrot washing/peeling machine



概述:

- 1) 设备用途: 清洗/磨皮长条状或圆形根茎类蔬菜和水果, 如胡萝卜、莴笋、洋葱、土豆、芋子、马蹄、木薯、红薯、葛根、魔芋、核桃、夏威夷果等产品。
- 2) 处理能力: 1500-2000kg/h
- 3) 装机功率: 4.0kw
- 4) 耗用水量: 1500kg/h
- 5) 外形尺寸: 2550×1000×1000mm

Summary:

- 1) application: this machine is suitable for washing/peeling rootstock vegetables and fruits in long shape or round shape, such as carrot, asparagus lettuce, Jerusalem artichoke, potato, taro, water-chestnut, cassava, sweet potato, pueraria, konjac, walnut and macadamia nut and so on.
- 2) capacity: 1500-2000kg/h
- 3) power: 4.0kw
- 4) water consumption: 1500kg/h
- 5) dimension: 2550×1000×1000mm

MXJ-13辊刷清洗机

MXJ-13 brush washing machine



概述:

- 1) 设备用途: 清洗各类蔬菜、水果、水产品, 特别对清洗物中的毛发, 细线条等杂物更加有效。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 2.25kw
- 4) 耗用水量: 500kg/h (部分循环使用)
- 5) 外形尺寸: 1350×920×1430mm

Summary:

- 1) application: this machine is suitable for washing all kinds of vegetables, fruits and aquatic products; it is very effective in getting rid of hair, threadlet and other foreign matters in products.
- 2) capacity: 500-1000kg/h
- 3) power: 2.25kw
- 4) water consumption: 500kg/h (partial circulating use)
- 5) dimension: 1350×920×1430mm

TXJ-A/B连续式土豆清洗/去皮机

TXJ-A/B continuous potato washing/peeling machine



概述:

- 1) 设备用途: 清洗/磨皮近圆球状的根茎类产品, 如土豆、猕猴桃、芋子、芋头等。是净菜、速冻、烘干生产线中不可或缺的设备, 解决了生产线中不能连续生产的技术难题。
- 2) 处理能力: 500-2000kg/h
- 3) 装机功率: 3.55kw (变频)
- 4) 耗用水量: 3000kg/h
- 5) 外形尺寸: 2500×920×1420mm

Summary:

- 1) application: this machine is suitable for washing/peeling rootstock products in round shape, such as potato, kiwi fruit, taro and dasheen, etc.; it's an indispensable equipment in minimally processing line, freezing line and drying line. It solved a technical problem that cannot continuous in processing line.
- 2) capacity: 500-2000kg/h
- 3) power: 3.55kw (VF)
- 4) water consumption: 3000kg/h
- 5) dimension: 2500×920×1420mm

GXJ高压清洗机

GXJ high pressure washing machine



概述:

- 1) 设备用途: 清洗各类蔬菜和水果, 特别适用于根茎类产品, 且表面根须易断, 不易翻动的产品, 如当归、人参、山药等。
- 2) 处理能力: 500-1500kg/h
- 3) 装机功率: 4.75kw
- 4) 耗用水量: 500kg/h (部分循环使用)
- 5) 外形尺寸: 4840×1110×1460mm

Summary:

- 1) application: this machine is suitable for washing all kinds of vegetables and fruits, especially for rootstock products whose roots are easily damaged and difficult to turn, such as Chinese angelica, ginseng and Chinese yam, and so on.
- 2) capacity: 500-1500kg/h
- 3) power: 4.75kw
- 4) water consumption: abt 500kg/h (partial circulating use)
- 5) dimension: 4840×1110×1460mm

DPT-S链带式热水漂烫机

DPT-S belt type hot water blancher



概述:

- 1) 设备用途: 用于蔬菜、水果、水产品等速冻、烘干、腌渍前的漂烫杀青。尤其适用于较长条、个体大、杀青时间长的产品。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 3.0kw,
- 4) 耗用蒸汽: 300-500kg/h
- 5) 耗用水量: 200kg/h
- 6) 外形尺寸: 4600×1200×1380mm

Summary:

- 1) application: this machine is suitable for blanching and sterilizing of vegetables, fruits and aquatic products before freezing, drying and pickling; especially suitable for long-strip and large-shape products which need long blanching time.
- 2) capacity: 500-1000kg/h
- 3) power: 3.0kw
- 4) steam consumption: 300-500kg/h
- 5) water consumption: 200kg/h
- 6) dimension: 4600×1200×1380mm

DPT-Z链带式蒸汽杀青机

DPT-Z belt type steam blancher



概述:

- 1) 设备用途: 用于蔬菜、水果、果脯、水产等速冻、烘干、腌渍前后的杀青。特别适用于颗粒状产品。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 1.1kw,
- 4) 耗用蒸汽: 300-500kg/h
- 5) 外形尺寸: 4050×1250×1500mm

Summary:

- 1) application: this machine is suitable for blanching and sterilizing of vegetables, fruits, preserved fruits and aquatic products before and after freezing, drying and pickling; especially suitable for granules.
- 2) capacity: 500-1000kg/h
- 3) power: 1.1kw
- 4) steam consumption: 300-500kg/h
- 5) dimension: 4050×1250×1500mm

B) PT系列漂烫杀青设备 PT series blanching equipment

SPT-S螺旋式热水漂烫机

SPT-S spiral type hot water blancher



概述:

- 1) 设备用途: 用于蔬菜、水果、水产品等速冻、烘干、腌渍前的杀青灭菌, 特别适用于颗粒状、片状或短条状类产品。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 2.6kw,
- 4) 耗用蒸汽: 300-500kg/h
- 5) 耗用水量: 200kg/h
- 6) 外形尺寸: 4380×1480×2180mm

Summary:

- 1) application: this machine is suitable for blanching and sterilizing of vegetables, fruits and aquatic products before freezing, drying and pickling; especially suitable for granules, slices and short-strip products.
- 2) capacity: 500-1000kg/h
- 3) power: 2.6kw
- 4) steam consumption: 300-500kg/h
- 5) water consumption: 200kg/h
- 6) dimension: 4380×1480×2180mm

SPT-Z螺旋式蒸汽杀青机

SPT-Z spiral type steam blancher



概述:

- 1) 设备用途: 用于蔬菜、水果、水产品等速冻、烘干、腌渍前的杀青灭菌, 特别适用于颗粒状、片状或短条状类产品。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 3.3kw,
- 4) 耗用蒸汽: 300-500kg/h
- 5) 外形尺寸: 3000×1450×2650mm

Summary:

- 1) application: this machine is suitable for blanching and sterilizing of vegetables, fruits and aquatic products before freezing, drying and pickling; especially suitable for granules, slices and short-strip products.
- 2) capacity: 500-1000kg/h
- 3) power: 3.3kw
- 4) steam consumption: 300-500kg/h
- 5) dimension: 3000×1450×2650mm

UPT提篮式漂烫机

UPT basket type blancher



概述:

- 1) 设备用途: 用于蔬菜、水果、水产品、农产品等速冻、烘干前的漂烫杀青。特别适用于长条状、易破碎且漂烫时间要求精准的产品。该机器一般与提篮式冷却机配套使用。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 2.6kw
- 4) 耗用蒸汽: 400-600kg/h
- 5) 耗用水量: 300kg/h
- 6) 外形尺寸: 7800×1030×1400mm

Summary:

- 1) application: this machine is suitable for blanching and sterilizing of vegetables, fruits, aquatic products and agricultural products before freezing and drying; especially suitable for long-strip and easy-damaged products which need precise blanching time. This machine usually works with basket type cooler together.
- 2) capacity: 500-1000kg/h
- 3) power: 2.6kw
- 4) steam consumption: 400-600kg/h
- 5) water consumption: 300kg/h
- 6) dimension: 7800×1030×1400mm

BPT-S水浴式巴氏杀菌机

BPT-S water-bath type pasteurizing machine



概述:

- 1) 设备用途: 用于各种袋装、瓶装、碗装、杯装产品100°C内的巴氏灭菌, 如榨菜、雪糕、果冻、米酒、酱油、鸭脖子、鸭舌等等。
- 2) 处理能力: 500-1200kg/h
- 3) 装机功率: 1.85kw
- 4) 耗用蒸汽: 500-1000kg/h
- 5) 耗用水量: 200kg/h
- 6) 外形尺寸: 12150×1200×1650mm (含冷却段)

Summary:

- 1) application: this machine is suitable for pasteurizing products in bag, bottle, bowl and cup under 100 degree, such as pickled tuber mustard, potherb mustard, jelly, rice wine, soybean sauce, duck neck and duck tongue, etc.
- 2) capacity: 500-1200kg/h
- 3) power: 1.85kw
- 4) steam consumption: 500-1000kg/h
- 5) water consumption: 200kg/h
- 6) dimension: 12150×1200×1650mm (including cooling part)

C) CJ系列冷却设备 CJ series cooling equipment

NCJ 链带式常温冷却机

NCJ belt type normal temperature cooler



概述:

- 1) 设备用途: 适用于烘干、速冻、即食生产线中漂烫后的常温水冷却, 可散装或已包装的蔬菜、水果、水产等等。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 2.25kw
- 4) 耗用水量: 3000kg/h
- 5) 外形尺寸: 3400×1100×1300mm

Summary:

- 1) application: this machine is usually used for normal cooling after blanching in freezing line, drying line and instant food processing line. The product can be vegetables, fruits and aquatic products both in bulk and in package, etc.
- 2) capacity: 500-1000kg/h
- 3) power: 2.25kw
- 4) water consumption: 3000kg/h
- 5) dimension: 3400×1100×1300mm

ICJ 链带式冰水冷却机

ICJ belt type ice water cooler



概述:

- 1) 设备用途: 适用于速冻蔬菜生产线中漂烫或常温水冷却后的再冷却, 或者净菜加工包装前的预冷。可散装或包装后的蔬菜、水果、水产等等。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 2.95kw (不含压缩机)
- 4) 耗用水量: 200kg/h (循环使用)
- 5) 耗用冷量: 17-35kw/h (-10°C/40°C)
- 6) 外形尺寸: 4600×1900×1300mm

Summary:

- 1) application: this machine is usually used for ice water cooling after blanching or normal water cooling in vegetable freezing line, or precooling of minimally processing vegetable before package. The product can be vegetables, fruits and aquatic products both in bulk and in package, etc.
- 2) capacity: 500-1000kg/h
- 3) power: 2.95kw (excluding compressor)
- 4) water consumption: 200kg/h (circulating use)
- 5) cold load: 17-35kw/h (-10°C/40°C)
- 6) dimension: 4600×1900×1300mm

SCJ 螺旋式冰水冷却机

SCJ spiral type ice water cooler



概述:

- 1) 设备用途: 用于蔬菜、水果、水产品等速冻、烘干、腌渍、净菜处理前的冷却, 特别适用于颗粒状、片状或短条状产品。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 2.6kw (不含压缩机)
- 4) 耗用水量: 200kg/h (循环使用)
- 5) 外形尺寸: 4380×1480×2180mm

Summary:

- 1) application: this machine is suitable for cooling vegetables, fruits and aquatic products before freezing, drying, pickling and minimally processing; especially suitable for granules, slices and short-strip products.
- 2) capacity: 500-1000kg/h
- 3) power: 2.6kw (excluding compressor)
- 4) water consumption: 200kg/h (circulating use)
- 5) dimension: 4380×1480×2180mm

UCJ 提篮式冷却机

UCJ basket type cooler



概述:

- 1) 设备用途: 用于蔬菜、水果、水产品、农产品等速冻、烘干前漂烫后的冷却。特别适用于长条状, 易破碎且冷却时间要求精准的产品。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 3.7kw
- 4) 耗用水量: 3000kg/h
- 5) 外形尺寸: 6800×710×1100mm

Summary:

- 1) application: this machine is suitable for cooling of vegetables, fruits, aquatic products and agricultural products after blanching but before freezing or drying process; especially suitable for long-strip and easy-damaged products which need precise cooling time.
- 2) capacity: 500-1000kg/h
- 3) power: 3.7kw
- 4) water consumption: 3000kg/h
- 5) dimension: 6800×710×1100mm

D) TS系列表面脱水设备 TS series surface dewatering equipment

CTS-600连续式离心脱水机

CTS-600 continuous centrifugal dewatering machine



概述:

- 1) 设备用途: 用于切碎后蔬菜、水果粒的表面脱水, 解决了碎叶蔬菜过水后不能连续脱水的难题, 是碎叶类蔬菜速冻、净菜加工前的必备机器。
- 2) 处理能力: 1000-1500kg/h
- 3) 装机功率: 6.18 kw (变频)
- 4) 外形尺寸: 1460×940×1150mm

Summary:

- 1) application: this machine is suitable for draining the surface water of cut vegetables and fruit cubes. It solved a problem that crushed leaves cannot be drained continuously after rinsing. It's a necessary machine for crushed leaves freezing and minimally processing.
- 2) capacity: 1000-1500kg/h
- 3) power: 6.18 kw (VF)
- 4) dimension: 1460×940×1150mm

ATS-800自动离心脱水机

ATS-800 automatic centrifugal dewatering machine



概述:

- 1) 设备用途: 用于切碎后蔬菜、水果、果蔬渣、木屑、芝麻、大米等细小颗粒状物料的表面脱水, 是果蔬烘干、冻干、果汁前必备机器, 满足了以上生产线设备完全自动化要求。
- 2) 处理能力: 1000-2000kg/h
- 3) 装机功率: 9.35kw (变频)
- 4) 外形尺寸(含提升机): 4900×1550×2400mm

Summary:

- 1) application: this machine is suitable for draining the surface water of cut vegetables, fruits, broken bits, sawdust, sesame, rice and other small granules. It's a necessary machine before fruit and vegetable drying, freeze drying and juicing. It meets the requirement of fully automatic of above processing line.
- 2) capacity: 1000-2000kg/h
- 3) power: 9.35kw (VF)
- 4) dimension(including elevator): 4900×1550×2400mm

LTS-1000三足式离心脱水机

LTS-1000 tripod centrifugal dewatering machine



概述:

- 1) 设备用途: 用于蔬菜水果的表面脱水, 是果蔬烘干前必备机器。
- 2) 处理能力: 1000-1500kg/h
- 3) 装机功率: 7.5kw
- 4) 外形尺寸: 1950×1550×1050mm

Summary:

- 1) application: this machine is suitable for draining the surface water of fruits and vegetables. It's a necessary machine before fruit and vegetable drying.
- 2) capacity: 1000-1500kg/h
- 3) power: 7.5kw
- 4) dimension: 1950×1550×1050mm

ZTS振动沥水机

ZTS vibration dewatering machine



概述:

- 1) 设备用途: 用于颗粒状、条状产品的表面沥水, 是蔬菜速冻前必备机器。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 0.5kw
- 4) 外形尺寸: 2400×950×800mm

Summary:

- 1) application: this machine is suitable for draining the surface water of granular and strip products. It's a necessary machine before vegetable freezing.
- 2) capacity: 500-1000kg/h
- 3) power: 0.5kw
- 4) dimension: 2400×950×800mm

FTS风力吹干机

FTS air blow dewatering machine



概述:

- 1) 设备用途: 用于颗粒状、条状产品的表面沥水, 是蔬菜速冻前, 净菜包装前, 或油炸产品油炸前的必备机器。也可作为干蒸产品干蒸后的冷却使用。
- 2) 处理能力: 500-1000kg/h
- 3) 装机功率: 7.35kw
- 4) 外形尺寸: 5600×750×1590mm

Summary:

- 1) application: this machine is suitable for draining the surface water of granular and strip products. It's a necessary machine before vegetable freezing, packaging of minimally processing vegetable or frying of fried products. It also can be used for cooling after steam blanching.
- 2) capacity: 500-1000kg/h
- 3) power: 7.35kw
- 4) dimension: 5600×750×1590mm

E) SJ系列选别设备 SJ series separating equipments

FSJ风力选别机

FSJ winnowing separator



概述:

- 1) 设备用途: 适合于混合在毛豆, 青豆中的杂草、树叶的去除, 或叶类蔬菜如芹菜、菠菜、包心菜、大白菜切碎后的茎叶分离。
- 2) 处理能力: 1000-2000kg/h
- 3) 装机功率: 4.75kw (变频)
- 4) 外形尺寸: 4200×1400×3000mm

Summary:

- 1) application: this machine is suitable for removing the weed, leaves in soybean and green pea, also suitable for separating cut leaves and stems of leafy vegetables such as celery, spinach, cabbage and Chinese cabbage, etc.
- 2) capacity: 1000-2000kg/h
- 3) power: 4.75kw (VF)
- 4) dimension: 4200×1400×3000mm

XSJ-12对虾分级机

XSJ-12 prawn grader



概述:

- 1) 设备用途: 本设备适用于带头虾、去头虾、虾仁等各种虾产品以及类似形状的果蔬产品。
- 2) 处理能力: 1200 kg/h
- 3) 装机功率: 5.3 kw (变频)
- 4) 外形尺寸: 6700×3300×2400mm

Summary:

- 1) application: this machine is suitable for grading head shrimp, headless shrimp, shrimp meat and other similar shape products.
- 2) capacity: 1200 kg/h
- 3) power: 5.3kw (VF)
- 4) dimension: 6700×3300×2400mm

OSJ-5滚筒分级机

OSJ-5 rotary drum grader



概述:

- 1) 设备用途: 用于圆球形产品的分级, 如荔枝、桂圆、李子、蘑菇等。
- 2) 处理能力: 1000kg/h (5个规格)
- 3) 装机功率: 1.5kw
- 4) 外形尺寸: 6060×1340×2126mm

Summary:

- 1) application: this machine is suitable for grading round-shape products such as litchi, longan, taro and mushroom, etc.
- 2) capacity: 1000kg/h (five grades)
- 3) power: 1.5kw
- 4) dimension: 6060×1340×2126mm

GSJ-5辊杠分级机

GSJ-5 roller grader



概述:

- 1) 设备用途: 用于荔枝、桂圆、圣女果、大枣等圆球形产品以及直条形小黄瓜的分级处理。
- 2) 处理能力: 1000-1500kg/h (5个规格)
- 3) 装机功率: 1.1kw
- 4) 外形尺寸: 4870×2130×710mm

Summary:

- 1) application: this machine is suitable for grading round-shape products such as litchi, longan, cherry tomato and Chinese jujube, also suitable for straight-shape products such as cucumber, etc.
- 2) capacity: 1000-1500kg/h (five grades)
- 3) power: 1.1kw
- 4) dimension: 4870×2130×710mm

ZSJ 振动分级机

ZSJ vibration grader



概述:

- 1) 设备用途: 用于西梅干、李子干、葡萄干、红枣等果蔬的分级。
- 2) 处理能力: 700-1000kg/h
- 3) 装机功率: 3.0kw
- 4) 外形尺寸: 9000×1000×1500mm


Summary:

- 1) application: this machine is suitable for grading dried prunes, dried plums, raisin, jujube, etc.
- 2) capacity: 700-1000kg/h
- 3) power: 3.0kw
- 4) dimension: 9000×1000×1500mm

F) SC系列切割设备 SC series cutting equipments

SCS-550切菜机

SCS-550 cutter



概述:

- 1) 设备用途: 用于各类果蔬产品的切段、切片、切丁(配刀盘)。
- 2) 处理能力: 500-2500kg/h
- 3) 可切规格: 切段/片: 段长/厚度 3-30mm或切块: 5×5-30×30mm
- 4) 装机功率: 1.5kw
- 5) 外形尺寸: 1180×640×1400mm

Summary:

- 1) application: this machine is suitable for cutting all kinds of vegetables and fruits into segment, slice and dice(with cutterhead).
- 2) capacity: 500-2500kg/h
- 3) cutting specification: segment length/slice thickness: 3-30mm; dice size: 5×5-30×30mm
- 4) power: 1.5kw
- 5) dimension: 1180×640×1400mm

SCS-318切菜机

SCS-318 cutter



概述:

- 1) 设备用途: 用于各类果蔬产品的切片、切丝、切丁或切段。
- 2) 处理能力: 1000-3000kg/h
- 3) 可切规格: 切段/片: 段长/厚度 3-30mm或切块: 5×5-30×30mm
- 4) 装机功率: 3.2kw
- 5) 外形尺寸: 1180×1080×1100mm

Summary:

- 1) application: this machine is suitable for cutting all kinds of vegetables and fruits into slice, strip, dice or segment.
- 2) capacity: 1000-3000kg/h
- 3) cutting specification: segment length/slice thickness: 3-30mm; dice size: 5×5-30×30mm
- 4) power: 3.2kw
- 5) dimension: 1180×1080×1100mm

SCD-350切丁机

SCD-350 dicing machine



概述:

- 1) 设备用途: 用于切割根茎类蔬菜的切丁、切丝、切片。
- 2) 处理能力: 1000-3000kg/h
- 3) 可切规格:
切丁: 3×3-10×10mm
切片: 1.6-11mm
- 4) 装机功率: 4.0kw
- 5) 外形尺寸: 1100×1100×1600mm

Summary:

- 1) application: this machine is suitable for cutting rootstock vegetables into dice, strip and slice.
- 2) capacity: 1000-3000kg/h
- 3) cutting specification:
dice size: 3×3-10×10mm
slice size: 1.6-11mm
- 4) power: 4.0kw
- 5) dimension: 1100×1100×1600mm

SCD-400切丁机

SCD-400 dicing machine



概述:


- 1) 设备用途: 用于大蒜瓣、洋葱、生姜、蘑菇、土豆等根茎类蔬菜以及草莓、苹果、桃子、梨、菠萝、芒果等新鲜水果的切片、条、丁状的产品。
- 2) 处理能力: 2000-4000kg/h
- 3) 可切规格: 4×4-24×24mm
- 4) 装机功率: 2.2kw
- 5) 外形尺寸: 1250×1110×1330mm

Summary:

- 1) application: this machine is suitable for cutting rootstock vegetables and fresh fruits into slice, strip and cube, such as garlic bulblet, onion, ginger, mushroom, potato, and strawberry, apple, peach, pear, pineapple, mango, etc.
- 2) capacity: 2000-4000kg/h
- 3) cutting specification: 4×4-24×24mm
- 4) power: 2.2kw
- 5) dimension: 1250×1110×1330mm

SCY-700甜玉米脱粒机

SCY-700 sweet corn threshing machine



概述:

- 1) 设备用途: 用于新鲜甜玉米的脱粒。是大型玉米速冻、玉米罐头加工厂必备设备。
- 2) 处理能力: 约700kg/h (玉米粒)
- 3) 装机功率: 1.5kw
- 4) 外形尺寸: 1600×840×1650mm

Summary:

- 1) application: this machine is suitable for threshing fresh sweet corn. It's a necessary machine for large frozen corn processing factory and canned corn processing factory.
- 2) capacity: about 700kg/h (corn kernel)
- 3) power: 1.5kw
- 4) dimension: 1600×840×1650mm

SCW青刀豆切尾机

SCW green bean snipper



概述:

- 1) 设备用途: 用于切去青刀豆的头尾, 是速冻青刀豆生产线中预处理必备机器。
- 2) 处理能力: 300kg/h
- 3) 装机功率: 0.75kw
- 4) 外形尺寸: 2750×775×1660mm

Summary:

- 1) application: this machine is suitable for cutting off the head and tail of string bean. It's a necessary machine in frozen bean processing line.
- 2) capacity: 300kg/h
- 3) power: 0.75kw
- 4) dimension: 2750×775×1660mm

G) 去皮去核设备 Peeling and pitting equipment

WDP青豌豆剥壳机

WDP green pea peeler



概述:

- 1) 设备用途: 用于青豌豆的脱壳, 是速冻、油炸青豌豆生产线中必备机器。它常与风选机、喂料机、壳仁分离机、振动筛选机等机器配套使用。
- 2) 处理能力: 1500kg/h
- 3) 装机功率: 5.5kw
- 4) 外形尺寸: 3600×1700×2150mm

Summary:

- 1) application: this machine is suitable for shucking green pea; it's a necessary machine in frozen pea processing line and fried pea processing line. This machine usually works with winnowing separator, material feeder, pod and kernel separator, and vibration sieve.
- 2) capacity: 1500kg/h
- 3) power: 5.5kw
- 4) dimension: 3600×1700×2150mm

TJP甜椒破碎机

TJP sweet pepper breaking machine



概述:

- 1) 设备用途: 用于青椒、红椒等灯笼椒去蒂, 挖芯前的破开。
- 2) 处理能力: 1500-2000kg/h
- 3) 装机功率: 2.2kw
- 4) 外形尺寸: 1030×930×1660mm

Summary:

- 1) application: this machine is suitable for opening bell pepper like green pepper, red pepper before pedicle and core removing.
- 2) capacity: 1500-2000kg/h
- 3) power: 2.2kw
- 4) dimension: 1030×930×1660mm

SYP山药去皮机

SYP yam peeling machine



概述:


- 1) 设备用途: 用于山药、莴笋、胡萝卜等细长条状根茎类果蔬的去皮。
- 2) 适用山药尺寸: 长度22cm以上, 粗细1.5-6cm。
- 3) 处理能力: 500kg/h
- 4) 装机功率: 1.5kw (220V)
- 5) 外形尺寸: 3600×800×1000mm

Summary:

- 1) application: this machine is suitable for peeling long-shape rootstock fruits and vegetables such as yam, asparagus lettuce and carrot, etc.
- 2) suitable yam size: length≥22cm, diameter 1.5-6cm.
- 3) capacity: 500kg/h
- 4) power: 1.5kw (220v)
- 5) dimension: 3600×800×1000mm

XMP西梅去核机

XMP prunes pitting machine



概述:

- 1) 设备用途: 用于干西梅加湿软化后的去核。
- 2) 处理能力: 10000-20000pcs/h
- 3) 装机功率: 5.29kw
- 4) 外形尺寸: 3050×1970×2440mm

Summary:

- 1) application: this machine is suitable for pitting dried prunes and plums after moisture increasing.
- 2) capacity: 10000-20000pcs/h
- 3) power: 5.29kw
- 4) dimension: 3050×1970×2440mm

H) 辅助设备 Auxiliary equipment

TJB桨叶式搅拌机

TJB paddle type blender



概述:

- 1) 设备用途: 用于切碎后的不同蔬菜、肉类、调味料的搅拌混合, 更适合带汤汁产品的混合。
- 2) 处理能力: 2000kg/h
- 3) 装机功率: 3.37kw
- 4) 外形尺寸: 1620x790x1310mm

Summary:

- 1) application: this machine is suitable for stirring and mixing different kinds of cut vegetables, meat and seasoning; it's more suitable for mixing products with liquid.
- 2) capacity: 2000kg/h
- 3) power: 3.37kw
- 4) dimension: 1620x790x1310mm

SJB双向螺旋搅拌机

SJB double spirals blender



概述:

- 1) 设备用途: 用于不同蔬菜、调味料的搅拌混合, 是脱水蔬菜加工必备设备。
- 2) 处理能力: 500-2000kg/h
- 3) 装机功率: 1.5kw
- 4) 外形尺寸: 1600x910x980mm

Summary:

- 1) application: this machine is suitable for mixing different kinds of vegetables and seasoning, it's a necessary machine in dried vegetable processing line.
- 2) capacity: 500-2000 kg/h
- 3) power: 1.5kw
- 4) dimension: 1600x910x980mm

HBT翻转上料机

HBT Hydraulic bin tipper



概述:

- 1) 设备用途: 用于把料框里的物料自动倒入设备, 进行自动化生产。
- 2) 承重能力: <1000kg
- 3) 功率: 2.2kw
- 4) 外形尺寸: 1450x1640x1500mm(可以定制)
- 5) 适用料框尺寸: 1200x1000x800mm

Summary:

- 1) application: this machine is designed to transfer a variety of products from the bin to the line for automatically processing.
- 2) load capacity: <1000kg
- 3) Power: 2.2kw
- 4) dimension: 1450x1640x1500mm (customized)
- 5) Applicable bin size: 1200x1000x800mm

TXJ挑选输送机

TXJ sorting conveyor



概述:

- 1) 设备用途: 用于物料输送, 两边配置操作台及废料斗, 方便手工处理及挑选物料。
- 2) 产量: 500-5000kg/h
- 3) 功率: 1.5kw
- 4) 外形尺寸: 5000x1000x800mm(可以定制)

Summary:

- 1) application: this machine is designed to convey materials. With operating tables and waste hoppers at two sides, it's convenient to deal with products and sort them.
- 2) capacity: 500-5000kg/h
- 3) power: 1.5kw
- 4) dimension: 5000x1000x800mm (customized)



创建于1996年!
Established in 1996!